



JLD International BV

Wieder 23
1648GA De Goorn
The Netherlands

Tel. +31 (0)299 622 396

Mail. info@JLDinternational.com
Web. www.JLDinternational.com



ORDERLIST 2022 | JLD-ANCHOR

We are pleased to send you our orderlist

Ultimate Force	Anchor Type	Thread Type	Number	Picture
20 kN	JLD 1.0	M10		
45 kN	JLD 1.2	M12		
120 kN	JLD 1.4			
220 kN	JLD 2.2			
220 kN	JLD 2.4			
220 kN	JLD 2.6			
220 kN	JLD 2.8			



CONTINUOUSLY THREADED BARS AND HARDWARE

ORDERLIST 2022










Description	Picture	16T	20T	25T
Bar 3 m ¹ GEWI				
Bar 6 m ¹ GEWI				
Anchor Nut				
Domed Nut				
Anchor Piece				
Domed Plate (120x120x5 mm)				
Coupling Nut				
Anchor Seat <i>For metal or concrete sheetpile or wall</i>				
Anchor Coupling <i>For wooden or vinyl sheetpile or wall</i>				

* All the above materials are untreated.



CONTINUOUSLY THREADED BARS AND HARDWARE

ORDERLIST 2022









Description	Picture	M16	M20	M24
Bar 1 m ¹ MTR Quality 4.8 Bar 2 m ¹ MTR Quality 4.8 Bar 3 m ¹ MTR Quality 4.8				
Bar 1 m ¹ MTR Quality 8.8 Bar 2 m ¹ MTR Quality 8.8 Bar 3 m ¹ MTR Quality 8.8				
Nut				
Plate				
Washer				
Coupling Nut				
Wire Strainer				
Round Head Bolt <i>700 mm / 150 left threaded</i>				
Eye Nut				

* All the above materials are galvanized.



INSTALLATION EQUIPMENT | DRIVE TIPS-STEEL & ADAPTER










ORDERLIST 2022

Description	Picture	Number
Drive Tip Ø 38 mm, 1,22 m ¹		
Drive Steel Ø 38 mm, 1,80 m ¹		
Drive Steel Ø 38 mm, 3,05 m ¹		
Shank Ø 38 mm, 0,20 m ¹		
Drive Tip Ø 45 mm, 1,22 m ¹		
Drive Steel Ø 45 mm, 1,80 m ¹		
Drive Steel Ø 45 mm, 3,60 m ¹		
Shank Ø 45 mm, 0,40 m ¹		



INSTALLATION EQUIPMENT | DRIVE TIPS-STEEL & ADAPTER

ORDERLIST 2022

Description	Picture	NUMBER
STANLEY Hydraulic Power Pack HP8BA		
STANLEY Hydraulic Hose 15 m 31848		
STANLEY Hydraulic Underwater Hammer BR87		
Installation Set Ø 32 mm (3x drivesteel 1m ¹ including shank for hammer)		
JLD 2.2 Marine Anchor length 3m ¹ without cross		
JLD 2.4 Marine Anchor length 3m ¹ without cross		
JLD 2.2 Marine Anchor length 3m ¹ with cross		
JLD 2.4 Marine Anchor length 3m ¹ with cross		
JLD Connector Beam 2 Anchors		

* All the above anchors and beams are galvanized.